

**Exam in TSKS01 Digital Communication**

- Exam code:** TEN1
- Date:** 2018-04-03                      **Time:** 14:00–18:00
- Place:** TER4
- Teacher:** Kamil Senel, tel: 013 - 28 46 75 (examiner: Emil Björnson)
- Visiting exam:** Around 16 and 17
- Administrator:** Carina Lindström, 013 - 28 44 23, carina.e.lindstrom@liu.se
- Department:** ISY
- Allowed aids:** Pocket calculator with empty memory.  
Olofsson: Tables and Formulas for Signal Theory.
- Number of tasks:** 7
- Solutions:** Will be published within one week after the exam at  
<http://www.commsys.isy.liu.se/TSKS01>
- Result:** You get a message about your result via an automatic email from Ladok. Note that we cannot file your result if you are not registered on the course. That also means that you will not get an automated email about your result if you are not registered on the course.
- Exam return:** 2018-04-20, 12:45–13:00, Emil Björnson's office, Building B, top floor, corridor A between entrances 27–29. After that in the student office of Dept. of EE. (ISY), Building B, Corridor D, between Entrances 27–29, right next to Café Java.
- Important:** **Solutions and answers must be given in English.**

**Grading:** This exam consists of three parts: an introductory task, a question part, and a problem-solving part. The introductory task consists of two rather simple subtasks that test the ability to perform standard calculations. Each task in the question part and the problem-solving part can give the number of points indicated in the margin. The question part can give you at most 10 points and the problem-solving part can give you at most 20 points. For passing the exam, you need

- at least one of the two subtasks of the introductory task solved correctly,
- at least 3 points from the question part,
- at least 6 points from the problem-solving part,
- and totally at least 14 points.

Grade limits:


- Grade three (ECTS C): 14 points,
- Grade four (ECTS B): 19 points,
- Grade five (ECTS A): 24 points.

Sloppy solutions and solutions that are hard to read are subject to hard judgement, as are unreasonable answers.

## Introductory task

1 This task has to be solved correctly as partial fulfillment for passing the exam.

a. A binary modulation scheme uses the following two signal points:



Determine the error probability if we communicate over an AWGN channel where the noise has power spectral density  $N_0/2 = 0.45$ . The receiver uses an ML detector.

b. There is a class of codes for error control called extended quadratic residue codes, which contains both binary and non-binary codes. Among those codes, there is a binary code with parameters  $[n, k, d] = [74, 37, 14]$ . Determine the error detection capability of the code.

## Question part

2 Explain the concept of eye patterns and how it describes how good the reception is. Make sure to include a sketch of an eye pattern. Explain how the choice of basis function affects the error decoding capability. (5 p)


- 3** Are the following claims true or false? You do not need to explain your answers. (5 p)
- a. The minimum distance of a linear code is the minimum Hamming weight among all the codewords.
  - b. The Q function is an increasing function.
  - c. The union bound gives an upper bound on the error probability.
  - d. The Mueller & Müller algorithm extracts the carrier frequency.
  - e. BFSK stands for binary frequency-shift keying.

For each of the claims above, a correct answer gives you +1 point, while an incorrect answer gives you -1 point. No answer give you 0 points for that claim, so a good strategy is to only give an answer if you are sure that it is correct. You cannot get less than 0 points totally from this task.

## Problem-solving part

- 4** Hamming codes are linear binary codes characterized by an integer  $m \geq 2$ . The parity-check matrix of a Hamming code contains all non-zero binary vectors of length  $m$ . (5 p)
- a. Determine a parity check matrix of a Hamming code with  $m = 3$ .
  - b. Determine a generator matrix of a Hamming code with  $m = 3$ .
  - c. Make a table with the mapping between the information vectors and codewords.
  - d. Compute the Hamming weights for the codewords corresponding to 0000, 0001, and 1111.

- 5 The following figure shows the constellation diagrams of two different 8-ary signal constellations: (5 p)




We have  $r_1 = 0.5$  and  $r_2 = 1$ . The SNR is assumed to be high and each signal point is equally probable.

- Compute the average signal energies for both constellations.
- Derive a reasonable approximation of the probability of error of each setup. Assume an AWGN channel.
- What is the optimum  $\alpha \in [0, 45^\circ)$  for the second constellation in terms of minimizing the probability of error.

6 Consider the following convolutional encoder:

(5 p)



- a. Let  $g^{(0)}$  and  $g^{(1)}$  be the impulse responses for the outputs  $c^{(0)}$  and  $c^{(1)}$ , respectively. Derive the  $D$ -transforms of the impulse responses,  $G^{(0)}(D)$  and  $G^{(1)}(D)$ .
- b. Draw the state transition diagram of the encoder.
- c. Draw a trellis representation for 4 bits and use the Viterbi algorithm to decode the received sequence  $r = 01\ 00\ 11\ 01\ 10$ . (Hint: The trellis terminates at the zero state.)

7 Two communication systems communicate over equal AWGN channels. One system uses uncoded BPSK signaling, while the other system uses a Hamming-[7, 4] code, followed by BPSK signaling. The detection is done bit-by-bit using ML receivers. Both systems communicate using the same information bit-rate and the same average power.

(5p)

Determine block-error probabilities for each block representing 4 information bits for those two systems at  $E_b/N_0 = 2$ , where  $E_b$  is the bit energy (for information bits) and  $N_0/2$  is the PSD of the noise.

The  $Q$ -function, table of  $Q(x) = \int_x^\infty \frac{1}{\sqrt{2\pi}} e^{-t^2/2} dt$  for  $0.00 \leq x \leq 5.99$ .

$x$	0	1	2	3	4	5	6	7	8	9	exp
0.0	5.0000	4.9601	4.9202	4.8803	4.8405	4.8006	4.7608	4.7210	4.6812	4.6414	-1
0.1	4.6017	4.5620	4.5224	4.4828	4.4433	4.4038	4.3644	4.3251	4.2858	4.2465	
0.2	4.2074	4.1683	4.1294	4.0905	4.0517	4.0129	3.9743	3.9358	3.8974	3.8591	
0.3	3.8209	3.7828	3.7448	3.7070	3.6693	3.6317	3.5942	3.5569	3.5197	3.4827	
0.4	3.4458	3.4090	3.3724	3.3360	3.2997	3.2636	3.2276	3.1918	3.1561	3.1207	
0.5	3.0854	3.0503	3.0153	2.9806	2.9460	2.9116	2.8774	2.8434	2.8096	2.7760	
0.6	2.7425	2.7093	2.6763	2.6435	2.6109	2.5785	2.5463	2.5143	2.4825	2.4510	
0.7	2.4196	2.3885	2.3576	2.3270	2.2965	2.2663	2.2363	2.2065	2.1770	2.1476	
0.8	2.1186	2.0897	2.0611	2.0327	2.0045	1.9766	1.9489	1.9215	1.8943	1.8673	
0.9	1.8406	1.8141	1.7879	1.7619	1.7361	1.7106	1.6853	1.6602	1.6354	1.6109	
1.0	1.5866	1.5625	1.5386	1.5151	1.4917	1.4686	1.4457	1.4231	1.4007	1.3786	
1.1	1.3567	1.3350	1.3136	1.2924	1.2714	1.2507	1.2302	1.2100	1.1900	1.1702	
1.2	1.1507	1.1314	1.1123	1.0935	1.0749	1.0565	1.0383	1.0204	1.0027	9.8525	
1.3	9.6800	9.5098	9.3418	9.1759	9.0123	8.8508	8.6915	8.5343	8.3793	8.2264	
1.4	8.0757	7.9270	7.7804	7.6359	7.4934	7.3529	7.2145	7.0781	6.9437	6.8112	
1.5	6.6807	6.5522	6.4255	6.3008	6.1780	6.0571	5.9380	5.8208	5.7053	5.5917	
1.6	5.4799	5.3699	5.2616	5.1551	5.0503	4.9471	4.8457	4.7460	4.6479	4.5514	
1.7	4.4565	4.3633	4.2716	4.1815	4.0930	4.0059	3.9204	3.8364	3.7538	3.6727	
1.8	3.5930	3.5148	3.4380	3.3625	3.2884	3.2157	3.1443	3.0742	3.0054	2.9379	
1.9	2.8717	2.8067	2.7429	2.6803	2.6190	2.5588	2.4998	2.4419	2.3852	2.3295	
2.0	2.2750	2.2216	2.1692	2.1178	2.0675	2.0182	1.9699	1.9226	1.8763	1.8309	
2.1	1.7864	1.7429	1.7003	1.6586	1.6177	1.5778	1.5386	1.5003	1.4629	1.4262	
2.2	1.3903	1.3553	1.3209	1.2874	1.2545	1.2224	1.1911	1.1604	1.1304	1.1011	
2.3	1.0724	1.0444	1.0170	9.9031	9.6419	9.3867	9.1375	8.8940	8.6563	8.4242	
2.4	8.1975	7.9763	7.7603	7.5494	7.3436	7.1428	6.9469	6.7557	6.5691	6.3872	
2.5	6.2097	6.0366	5.8677	5.7031	5.5426	5.3861	5.2336	5.0849	4.9400	4.7988	
2.6	4.6612	4.5271	4.3965	4.2692	4.1453	4.0246	3.9070	3.7926	3.6811	3.5726	
2.7	3.4670	3.3642	3.2641	3.1667	3.0720	2.9798	2.8901	2.8028	2.7179	2.6354	
2.8	2.5551	2.4771	2.4012	2.3274	2.2557	2.1860	2.1182	2.0524	1.9884	1.9262	
2.9	1.8658	1.8071	1.7502	1.6948	1.6411	1.5889	1.5382	1.4890	1.4412	1.3949	
3.0	1.3499	1.3062	1.2639	1.2228	1.1829	1.1442	1.1067	1.0703	1.0350	1.0008	
3.1	9.6760	9.3544	9.0426	8.7403	8.4474	8.1635	7.8885	7.6219	7.3638	7.1136	
3.2	6.8714	6.6367	6.4095	6.1895	5.9765	5.7703	5.5706	5.3774	5.1904	5.0094	
3.3	4.8342	4.6648	4.5009	4.3423	4.1889	4.0406	3.8971	3.7584	3.6243	3.4946	
3.4	3.3693	3.2481	3.1311	3.0179	2.9086	2.8029	2.7009	2.6023	2.5071	2.4151	
3.5	2.3263	2.2405	2.1577	2.0778	2.0006	1.9262	1.8543	1.7849	1.7180	1.6534	
3.6	1.5911	1.5310	1.4730	1.4171	1.3632	1.3112	1.2611	1.2128	1.1662	1.1213	
3.7	1.0780	1.0363	9.9611	9.5740	9.2010	8.8417	8.4957	8.1624	7.8414	7.5324	
3.8	7.2348	6.9483	6.6726	6.4072	6.1517	5.9059	5.6694	5.4418	5.2228	5.0122	
3.9	4.8096	4.6148	4.4274	4.2473	4.0741	3.9076	3.7475	3.5936	3.4458	3.3037	
4.0	3.1671	3.0359	2.9099	2.7888	2.6726	2.5609	2.4536	2.3507	2.2518	2.1569	
4.1	2.0658	1.9783	1.8944	1.8138	1.7365	1.6624	1.5912	1.5230	1.4575	1.3948	
4.2	1.3346	1.2769	1.2215	1.1685	1.1176	1.0689	1.0221	9.7736	9.3447	8.9337	
4.3	8.5399	8.1627	7.8015	7.4555	7.1241	6.8069	6.5031	6.2123	5.9340	5.6675	
4.4	5.4125	5.1685	4.9350	4.7117	4.4979	4.2935	4.0980	3.9110	3.7322	3.5612	
4.5	3.3977	3.2414	3.0920	2.9492	2.8127	2.6823	2.5577	2.4386	2.3249	2.2162	
4.6	2.1125	2.0133	1.9187	1.8283	1.7420	1.6597	1.5810	1.5060	1.4344	1.3660	
4.7	1.3008	1.2386	1.1792	1.1226	1.0686	1.0171	9.6796	9.2113	8.7648	8.3391	
4.8	7.9333	7.5465	7.1779	6.8267	6.4920	6.1731	5.8693	5.5799	5.3043	5.0418	
4.9	4.7918	4.5538	4.3272	4.1115	3.9061	3.7107	3.5247	3.3476	3.1792	3.0190	
5.0	2.8665	2.7215	2.5836	2.4524	2.3277	2.2091	2.0963	1.9891	1.8872	1.7903	
5.1	1.6983	1.6108	1.5277	1.4487	1.3737	1.3024	1.2347	1.1705	1.1094	1.0515	
5.2	9.9644	9.4420	8.9462	8.4755	8.0288	7.6050	7.2028	6.8212	6.4592	6.1158	
5.3	5.7901	5.4813	5.1884	4.9106	4.6473	4.3977	4.1611	3.9368	3.7243	3.5229	
5.4	3.3320	3.1512	2.9800	2.8177	2.6640	2.5185	2.3807	2.2502	2.1266	2.0097	
5.5	1.8990	1.7942	1.6950	1.6012	1.5124	1.4283	1.3489	1.2737	1.2026	1.1353	
5.6	1.0718	1.0116	9.5479	9.0105	8.5025	8.0224	7.5686	7.1399	6.7347	6.3520	
5.7	5.9904	5.6488	5.3262	5.0215	4.7338	4.4622	4.2057	3.9636	3.7350	3.5193	
5.8	3.3157	3.1236	2.9424	2.7714	2.6100	2.4579	2.3143	2.1790	2.0513	1.9310	
5.9	1.8175	1.7105	1.6097	1.5147	1.4251	1.3407	1.2612	1.1863	1.1157	1.0492	

For  $x > 0$ , we have  $(1 - x^{-2}) \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt < Q(x) < \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt$ . For large  $x$  we have  $Q(x) \approx \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt$ .