

Exam in TSKS01 Digital Communication

Exam code:	TEN1	
Date:	2019-01-16	Time: 14:00–18:00
Place:	U6, U7, U10	
Teacher:	Emil Björnson, tel: 013 - 28 67 32	
Visiting exam:	Around 15:30 and 17:00	
Administrator:	Carina Lindström, 013 - 28 44 23, carina.e.lindstrom@liu.se	
Department:	ISY	
Allowed aids:	Pocket calculator with empty memory. Olofsson: Tables and Formulas for Signal Theory.	
Number of tasks:	7	
Solutions:	Will be published within one week after the exam at http://www.commsys.isy.liu.se/TSKS01	
Result:	You get a message about your result via an automatic email from Ladok. Note that we cannot file your result if you are not registered on the course. That also means that you will not get an automated email about your result if you are not registered on the course.	
Exam return:	2019-01-31, 12:45–13:00, Emil Björnson's office, Building B, top floor, corridor A between entrances 27–29. After that in the student office of Dept. of EE. (ISY), Building B, Corridor D, between Entrances 27–29, right next to Café Java.	
Important:	Solutions and answers must be given in English.	

Grading: This exam consists of three parts: an introductory task, a question part, and a problem-solving part. The introductory task consists of two rather simple subtasks that test the ability to perform standard calculations. Each task in the question part and the problem-solving part can give the number of points indicated in the margin. The question part can give you at most 10 points and the problem-solving part can give you at most 20 points. For passing the exam, you need

- at least one of the two subtasks of the introductory task solved correctly,
- at least 3 points from the question part,
- at least 6 points from the problem-solving part,
- and totally at least 14 points.


Grade limits:

- Grade three (ECTS C): 14 points,
- Grade four (ECTS B): 19 points,
- Grade five (ECTS A): 24 points.

Sloppy solutions and solutions that are hard to read are subject to hard judgement, as are unreasonable answers.

Introductory task

- 1 You need to solve at least one of these subtasks correctly as partial fulfillment for passing the exam.
 - a. There is a class of codes for error control called Reed-Muller codes, which contains both binary and non-binary codes. Among those codes, there is a binary code with parameters $[n, k, d] = [64, 42, 8]$. Determine the error correction capability of the code.
 - b. Create a binary modulation scheme by placing two signal points at different locations on the unit circle:



Determine the error probability if we communicate with your modulation scheme over an AWGN channel where the noise has power spectral density $N_0/2 = 1$. The receiver uses an ML detector.

Question part

2 Write a text that introduces QPSK modulation. Make sure that the text contains the following: (5p)

- A figure of the time-domain signals with your choice of basis function.
- The signal space diagram.
- Gray coded mappings of bits to the signal points.
- The *exact* symbol error probability in terms of the average energy per symbol E_{avg} and the noise power spectral density N_0 .
- The nearest neighbor approximation of the symbol error probability.

3 Are the following claims true or false? You do not need to explain your answers. (5p)

- a. The sinc-function is the only pulse-shape function that satisfies the Nyquist criterion.
- b. Syndrome decoding minimizes the error probability over a binary symmetric channel.
- c. The Mueller & Müller algorithm is used for synchronizing the sampling time.
- d. In the trellis representation of a convolutional code, the states are the previous output signals.
- e. Every linear block code contains a codeword with only ones.

For each of the claims above, a correct answer gives you +1 point, while an incorrect answer gives you -1 point. No answer give you 0 points for that claim, so a good strategy is to only give an answer if you are sure that it is correct. You cannot get less than 0 points totally from this task.

Problem-solving part

- 4 A binary linear block code has the parity-check matrix (5p)

$$H = \begin{bmatrix} 1 & 1 & 1 & 0 & 0 \\ 1 & 0 & 1 & 1 & 0 \\ 0 & 1 & 1 & 0 & 1 \end{bmatrix}.$$

- Determine a generator matrix for this code.
 - Generate a table with the mappings between all information sequences and codewords.
 - How many errors can this code correct? (Motivate your answer.)
 - Decode the received vector (1 1 0 0 0) using the ML principle.
- 5 We want to send the message $m(x) = 1 \cdot x^5 + 0 \cdot x^4 + 0 \cdot x^3 + 1 \cdot x^2 + 1 \cdot x + 0 \cdot 1$ using a CRC code defined by the CRC polynomial $p(x) = x^4 + x$. (5p)

a. What are n and k ? (2p)

b. Which codeword $c(x)$ corresponds to $m(x)$? (3p)

- 6 An 8-PSK system gives the symbol error probability 10^{-5} over a certain AWGN channel using an ML receiver. (5p)

a. What will the symbol error probability be if the phase reference of the receiver is off by 5° compared to the phase reference of the sender? (2p)

b. Is it possible to compensate for the phase error by increasing the signal energy? If so, how much do we have to increase the signal energy in order to regain the symbol error probability 10^{-5} ? (3p)

- 7** We need to design a communication system for transmitting a packet of 12 bits of information over an AWGN channel. The communication system will operate in a consumer environment where the packet error probability must be below 10^{-2} . (5p)
- a.** Suppose we send the packet using BPSK modulation without error control coding. How large must the SNR E_b/N_0 be to satisfy the requirements?
 - b.** There exist a binary error control code with $[n, k, d] = [23, 12, 7]$ called the perfect binary Golay code. How many errors can this code correct?
 - c.** Suppose we use the code from Part b together with BPSK modulation. Derive an expression for the packet error probability in this case.
 - d.** What is the packet error probability with the perfect Goley code if E_b/N_0 has the same value as in Part a?

The Q -function, table of $Q(x) = \int_x^\infty \frac{1}{\sqrt{2\pi}} e^{-t^2/2} dt$ for $0.00 \leq x \leq 5.99$.

x	0	1	2	3	4	5	6	7	8	9	exp
0.0	5.0000	4.9601	4.9202	4.8803	4.8405	4.8006	4.7608	4.7210	4.6812	4.6414	-1
0.1	4.6017	4.5620	4.5224	4.4828	4.4433	4.4038	4.3644	4.3251	4.2858	4.2465	
0.2	4.2074	4.1683	4.1294	4.0905	4.0517	4.0129	3.9743	3.9358	3.8974	3.8591	
0.3	3.8209	3.7828	3.7448	3.7070	3.6693	3.6317	3.5942	3.5569	3.5197	3.4827	
0.4	3.4458	3.4090	3.3724	3.3360	3.2997	3.2636	3.2276	3.1918	3.1561	3.1207	
0.5	3.0854	3.0503	3.0153	2.9806	2.9460	2.9116	2.8774	2.8434	2.8096	2.7760	
0.6	2.7425	2.7093	2.6763	2.6435	2.6109	2.5785	2.5463	2.5143	2.4825	2.4510	
0.7	2.4196	2.3885	2.3576	2.3270	2.2965	2.2663	2.2363	2.2065	2.1770	2.1476	
0.8	2.1186	2.0897	2.0611	2.0327	2.0045	1.9766	1.9489	1.9215	1.8943	1.8673	
0.9	1.8406	1.8141	1.7879	1.7619	1.7361	1.7106	1.6853	1.6602	1.6354	1.6109	
1.0	1.5866	1.5625	1.5386	1.5151	1.4917	1.4686	1.4457	1.4231	1.4007	1.3786	
1.1	1.3567	1.3350	1.3136	1.2924	1.2714	1.2507	1.2302	1.2100	1.1900	1.1702	
1.2	1.1507	1.1314	1.1123	1.0935	1.0749	1.0565	1.0383	1.0204	1.0027	9.8525	
1.3	9.6800	9.5098	9.3418	9.1759	9.0123	8.8508	8.6915	8.5343	8.3793	8.2264	
1.4	8.0757	7.9270	7.7804	7.6359	7.4934	7.3529	7.2145	7.0781	6.9437	6.8112	
1.5	6.6807	6.5522	6.4255	6.3008	6.1780	6.0571	5.9380	5.8208	5.7053	5.5917	
1.6	5.4799	5.3699	5.2616	5.1551	5.0503	4.9471	4.8457	4.7460	4.6479	4.5514	
1.7	4.4565	4.3633	4.2716	4.1815	4.0930	4.0059	3.9204	3.8364	3.7538	3.6727	
1.8	3.5930	3.5148	3.4380	3.3625	3.2884	3.2157	3.1443	3.0742	3.0054	2.9379	
1.9	2.8717	2.8067	2.7429	2.6803	2.6190	2.5588	2.4998	2.4419	2.3852	2.3295	
2.0	2.2750	2.2216	2.1692	2.1178	2.0675	2.0182	1.9699	1.9226	1.8763	1.8309	
2.1	1.7864	1.7429	1.7003	1.6586	1.6177	1.5778	1.5386	1.5003	1.4629	1.4262	
2.2	1.3903	1.3553	1.3209	1.2874	1.2545	1.2224	1.1911	1.1604	1.1304	1.1011	
2.3	1.0724	1.0444	1.0170	9.9031	9.6419	9.3867	9.1375	8.8940	8.6563	8.4242	
2.4	8.1975	7.9763	7.7603	7.5494	7.3436	7.1428	6.9469	6.7557	6.5691	6.3872	
2.5	6.2097	6.0366	5.8677	5.7031	5.5426	5.3861	5.2336	5.0849	4.9400	4.7988	
2.6	4.6612	4.5271	4.3965	4.2692	4.1453	4.0246	3.9070	3.7926	3.6811	3.5726	
2.7	3.4670	3.3642	3.2641	3.1667	3.0720	2.9798	2.8901	2.8028	2.7179	2.6354	
2.8	2.5551	2.4771	2.4012	2.3274	2.2557	2.1860	2.1182	2.0524	1.9884	1.9262	
2.9	1.8658	1.8071	1.7502	1.6948	1.6411	1.5889	1.5382	1.4890	1.4412	1.3949	
3.0	1.3499	1.3062	1.2639	1.2228	1.1829	1.1442	1.1067	1.0703	1.0350	1.0008	
3.1	9.6760	9.3544	9.0426	8.7403	8.4474	8.1635	7.8885	7.6219	7.3638	7.1136	
3.2	6.8714	6.6367	6.4095	6.1895	5.9765	5.7703	5.5706	5.3774	5.1904	5.0094	
3.3	4.8342	4.6648	4.5009	4.3423	4.1889	4.0406	3.8971	3.7584	3.6243	3.4946	
3.4	3.3693	3.2481	3.1311	3.0179	2.9086	2.8029	2.7009	2.6023	2.5071	2.4151	
3.5	2.3263	2.2405	2.1577	2.0778	2.0006	1.9262	1.8543	1.7849	1.7180	1.6534	
3.6	1.5911	1.5310	1.4730	1.4171	1.3632	1.3112	1.2611	1.2128	1.1662	1.1213	
3.7	1.0780	1.0363	9.9611	9.5740	9.2010	8.8417	8.4957	8.1624	7.8414	7.5324	
3.8	7.2348	6.9483	6.6726	6.4072	6.1517	5.9059	5.6694	5.4418	5.2228	5.0122	
3.9	4.8096	4.6148	4.4274	4.2473	4.0741	3.9076	3.7475	3.5936	3.4458	3.3037	
4.0	3.1671	3.0359	2.9099	2.7888	2.6726	2.5609	2.4536	2.3507	2.2518	2.1569	
4.1	2.0658	1.9783	1.8944	1.8138	1.7365	1.6624	1.5912	1.5230	1.4575	1.3948	
4.2	1.3346	1.2769	1.2215	1.1685	1.1176	1.0689	1.0221	9.7736	9.3447	8.9337	
4.3	8.5399	8.1627	7.8015	7.4555	7.1241	6.8069	6.5031	6.2123	5.9340	5.6675	
4.4	5.4125	5.1685	4.9350	4.7117	4.4979	4.2935	4.0980	3.9110	3.7322	3.5612	
4.5	3.3977	3.2414	3.0920	2.9492	2.8127	2.6823	2.5577	2.4386	2.3249	2.2162	
4.6	2.1125	2.0133	1.9187	1.8283	1.7420	1.6597	1.5810	1.5060	1.4344	1.3660	
4.7	1.3008	1.2386	1.1792	1.1226	1.0686	1.0171	9.6796	9.2113	8.7648	8.3391	
4.8	7.9333	7.5465	7.1779	6.8267	6.4920	6.1731	5.8693	5.5799	5.3043	5.0418	
4.9	4.7918	4.5538	4.3272	4.1115	3.9061	3.7107	3.5247	3.3476	3.1792	3.0190	
5.0	2.8665	2.7215	2.5836	2.4524	2.3277	2.2091	2.0963	1.9891	1.8872	1.7903	
5.1	1.6983	1.6108	1.5277	1.4487	1.3737	1.3024	1.2347	1.1705	1.1094	1.0515	
5.2	9.9644	9.4420	8.9462	8.4755	8.0288	7.6050	7.2028	6.8212	6.4592	6.1158	
5.3	5.7901	5.4813	5.1884	4.9106	4.6473	4.3977	4.1611	3.9368	3.7243	3.5229	
5.4	3.3320	3.1512	2.9800	2.8177	2.6640	2.5185	2.3807	2.2502	2.1266	2.0097	
5.5	1.8990	1.7942	1.6950	1.6012	1.5124	1.4283	1.3489	1.2737	1.2026	1.1353	
5.6	1.0718	1.0116	9.5479	9.0105	8.5025	8.0224	7.5686	7.1399	6.7347	6.3520	
5.7	5.9904	5.6488	5.3262	5.0215	4.7338	4.4622	4.2057	3.9636	3.7350	3.5193	
5.8	3.3157	3.1236	2.9424	2.7714	2.6100	2.4579	2.3143	2.1790	2.0513	1.9310	
5.9	1.8175	1.7105	1.6097	1.5147	1.4251	1.3407	1.2612	1.1863	1.1157	1.0492	

For $x > 0$, we have $(1 - x^{-2}) \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt < Q(x) < \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt$. For large x we have $Q(x) \approx \frac{1}{x\sqrt{2\pi}} e^{-x^2/2} dt$.